

USER MANUAL

TT-M29, TT-M30, TT-M31, TT-M27, TT-M35 SERIES
MEAT CUTTER



SERVE SINCE 2000

TWOTHOUSAND

WHOLESALE SECURE COMMERCIAL KITCHEN EQUIPMENT FROM CHINA

TWOTHOUSAND MACHINERY CO., LTD

We mainly produce food processing equipment, baking equipment, professional kitchen equipment, steel kitchen ware, commercial refrigeration equipment and ice cream machine. They are environment-friendly with excellent designs. High technique to save power, complete functions, easy to operate, OUR products are more competitive than those of the same line in the international market.

ATTENTION

- New user or repairing this product must be performed by the experts or qualified person or those who have gotten the license of installation, or those who are authorized by the manufacturer.
- When installation or maintenance, please obey the following instructions carefully to ensure the safety use of this appliance.
- Please keep this instruction Manual for future reference, or hand it to next user.
- Put off the package to make sure none of the parts is missing or damaged. If there is any doubt about the product, please do not use it, and consult it to the experts.
- Keep the packing material out of reach of the children to avoid accident (Especially the plastic bag, screw etc.)
- This appliance could be only operated by the person who is familiar with the unit.
- When not using the appliance or the operator is absent, please turn off the unit to avoid any accidental injury or damage.
- When it needs to be repaired, please ask for expert, and use the original fitted spare part. It will be dangerous if not following the above requirements.
- This appliance is just for commercial using, not for any other use, otherwise, it may be dangerous.
- Do not rinse the equipment with water directly.
- Clean the surface of stainless steel periodically with appropriate method to prevent any damage brought by oxidization or any other chemical interference.

MODEL AND PARAMETER

Model	Voltage (V)	Power (Kw)	Cutting Thickness (mm)	Output (kg/h)	Net Weight (kg)	Dimensions (mm)
TT-M29ABC	220	0.5	2.5~20	250	33	450x320x430
TT-M30ABCD	220	0.5	2.5~20	500	35	530x330x450
TT-M31ABCD	220	0.5	2.5~20	500	37	530x320x680
TT-M27ABCDE	220	0.75	2.5~30	800	80	660x380x730
TT-M35ABCDE	220	1.5	2.5~25	800	138	665x366x660

TT-M29A/ TT-M29B/ TT-M29C series is a model. Suitable for smaller food or meat processing enterprises, motor power 550 w, output of about 250 kg/hour, especially suitable for kindergartens, small dining room to use. Tool to external hanging patent design, convenient operation, health more secure; If you want to process the meat of different thickness, only need to change the corresponding tool can be achieved, multi-usage. Inside the machine is equipped with safety protection switch, when cutting tool exposed, self-locking machine can't start, to protect security. Blades made of special stainless-steel material, hardness is 52 degrees, durable. Part of the transmission is worm gear transmission.

TT-M30A/ TT-M30B/ TT-M30C/ TT-M30D series is medium desktop models. Suitable for smaller food or meat processing enterprises, motor power 550 w, output of about 500 kg/tool to external hanging patent design, convenient operation, health more secure; If you want to process the meat of different thickness, only need to change the corresponding tool can be achieved, multi-usage. Inside the machine is equipped with safety protection switch, when cutting tool exposure, self-locking machine can't start, to protect security. Blades made of special stainless-steel material, hardness is 52 degrees, durable. Part of the transmission is worm gear transmission.


TT-M31A/ TT-M31B/ TT-M31C/ TT-M31D series vertical version. Suitable for general food or meat processing enterprises, motor power 550 w, output of about 500 kg/wheel base, flexible movement, cutting tool to external hanging patent design, convenient operation, health more secure; If you want to process the meat of different thickness, only need to change the corresponding tool can be achieved, multi-usage. Inside the machine is equipped with safety protection switch, when cutting tool exposed, self-locking machine can't start, to protect security. Blades made of special stainless-steel material, hardness is 52 degrees, durable. Part of the transmission is worm gear transmission.

TT-M27A/ TT-M27B/ TT-M27C/ TT-M27D/ TT-M27E series vertical version. Suitable for the bigger food or meat processing enterprises, motor power 750 w, output of about 800 kg/especially suitable for school canteen and factory canteen. Wheel base, flexible movement, cutting tool to external hanging patent design, convenient operation, health more secure; If you want to process the meat of different thickness, only need to change the corresponding tool can be achieved, multi-usage. Inside the machine is equipped with safety protection switch, when cutting tool exposed, self-locking machine can't start, to protect security. Blades made of special stainless-steel material, hardness is 52 degrees, durable. By the secondary variable speed belt and motorcycle chain transmission parts.


TT-M35A/ TT-M35B/ TT-M35C/ TT-M35D/ TT-M35E series vertical version, one-time cut the meat into silk, double motor drive, can be controlled separately, shred slice, suitable for large scale food or meat processing enterprises, motor power 750 w * 2, production of about 800 kg/wheel base, flexible movement, cutting tool to external hanging patent design, convenient operation, health more secure; For processing different thickness of meat shredded meat, need to change into the corresponding tool can be achieved, multi-usage. Inside the machine is equipped with safety protection switch, when cutting tool exposed, self-locking machine can't start, to protect security. Blades made of special stainless-steel material, hardness is 52 degrees, durable. By the secondary variable speed belt and motorcycle chain transmission parts.

ELECTRICAL DIAGRAM


TT-M29ABC / TT-M30ABCD / TT-M31ABCD



TT-M27ABCDE




TT-M35ABCDE



ONE YEAR PARTS WARRANTY

OUR warrants to the original purchaser of every new OUR product, under normal and proper use and maintenance service as specified by OUR and upon proper installation and start-up in accordance with the instruction packet supplied with each OUR unit. OUR's obligation under this warranty is limited to a period of one year from the date of original installation.

WHAT IS NOT CONNECTED BY THIS WARRANTY

Our sole obligation under this warranty is limited to replacement of parts, Subject to the additional limitations below.

This warranty neither assumes nor authorizes any person to assume obligations other than those expressly covered by this warranty. This warranty is limited to replacement of parts, and the shipment charge is not included.

No consequential damages. Our is not responsible for Economic loss; or special, indirect, or consequential damages, including without limitation, losses or damages arising from food or product spoilage claims whether account of refrigeration failure.

Warranty is not transferable. This warranty is not assignable and applies only in favor the original purchaser/user to whom delivered. Any such assignment or transfer shall avoid the warranties herein made and shall avoid all warranties, express or implied, including any warranty of merchantability or fitness for a purpose.

Improper usage. Our assumes no liability for parts or labor coverage for component failure or other damages resulting from improper usage or installation or failure to clean and/or maintain product as set forth in the warranty packet provided with the unit.

Residential applications: our assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications.

Alteration, neglect, abuse, issue, accident, damage during transit or installation, fire, flood, acts of god. Our is not responsible for the repair or replacement of any parts that our determines have been subjected after the date of manufacture to alteration, neglect, abuse, accident, damage during transit or installation, fire, flood, or act of god.

Improper electrical connections. Our is not responsible for the repair or replacement of failed or damaged components resulting from electrical power failure, the use of extension cords, low voltage, or voltage drops to the unit.

No implied warranty of merchantability or fitness for a purpose: there are no other warranties, expressed, implied or statutory, except the one (1) year parts warranty as described above. These



SERVE SINCE 2000
TWOTHOUSAND
WHOLESALE **SECURE** COMMERCIAL KITCHEN EQUIPMENT **FROM CHINA**

warranties are exclusive and in lieu of all other warranties, including implied warranty and merchantability or fitness for a purpose. These are no warranty which extend beyond the description on the face hereof.

CONTACT US

ADDRESS:

NO. 18-105 HUAGANG GARDEN, ZHONGSHAN AVENUE, GUANGZHOU, GUANGDONG, CHINA

PHONE: 86-20-38768241

FAX: 86-20-38769376

WEBSITE: WWW.TWOTHOUSAND.COM



SERVE SINCE 2000
TWOTHOUSAND
WHOLESALE **SECURE** COMMERCIAL KITCHEN EQUIPMENT **FROM CHINA**