



Twothousand Machinery Co., Ltd

No.18-105 Huagang Garden, Zhongshan Avenue, Guangzhou, China

Tel: 0086-20-38768241 | Fax: 0086-20-38769376

Email: exp@twothousand.com | Website: www.twothousand.com



2019
**REFRIGERATION
EQUIPMENT**



FOOD SERVICE LEADER

INTRODUCTION

TWOTHOUSAND® in existence since 2000 year has become synonyms with complete kitchen equipment supply for restaurants.

TWOTHOUSAND® a brand registered in Europe from OHIM offers complete kitchen solution and we even offer 1 year warranty with our products.

TWOTHOUSAND® state-of-art factory spanning over 5000 m² is in close proximity to Baiyun International Airport.

Restaurants and commercial establishments of varying size from America, Asia, Africa, Europe and Oceania have placed their esteemed trust on us for over 10 years.

TWOTHOUSAND®
KITCHEN DESIGN
SERVICE



TWOTHOUSAND®

KITCHEN DESIGN SERVICE



TWOTHOUSAND®
KITCHEN DESIGN
SERVICE



CUSTOMERS



CONTENT

P11	CAKE SHOWCASE	P31	REFRIGERATED CABINET
P23	ICE CREAM SHOWCASE	P33	REFRIGERATED TABLE
P25	BEVERAGE CABINET	P37	SALAD PREP TABLE
P25	WINE COOLER	P39	BLAST CHILLER
P26	COLD ROOM	P40	SUPERMARKET DISPLAY
P27	SLUSH MACHINE	P43	ICE CREAM MACHINE
P28	JUICE DISPENSER	P47	ICE CREAM CONE MAKER
P30	YOGURT DISPENSER	P48	ICE MAKER

CAKE SHOWCASE

BEST SELLING CAKE SHOWCASE

- High precision digital thermostat
- One-time molding and integral foaming liner
- Double layer vacuum glass
- Imported defrost heating wire
- Air cooling, fast refrigeration
- Natural marble or stainless steel 304 base
- Stainless Steel Universal caster wheel, easy to move



Aspera compressor
Low noise
Low consumption

R134a

R134a refrigerant
Less pollution to our planet



Automatic defrost system
Water automatic evaporation
No drainage needed



CE certified
Safe protection
Durable life

ebmpapst

Germany EBMPAST blower
Low noise, low power
more durable and long life

3
LAYER
GLASS

3 layers glass
Better heat preservation
Save more power
Save cost

LED

LED lights
Enhancing the display effect
Save power
Save our planet



8 minutes circulation start time
1/4 electricity saving
Protect our environment

AVAILABLE BASE MATERIAL

More base color for marble



White



Red



Black




Stainless steel 304

TWO SHELF RIGHT ANGLE



2°C - 8°C



2
SHELF

MODEL	TT-MD129A	TT-MD129B	TT-MD129C	TT-MD129D
Capacity	230 L	320 L	400 L	500 L
Size(MM)	900×685×950	1200×685×950	1500×685×950	1800×685×950
Current	3.5 A	3.8 A	4.3 A	4.7 A
POWER	600 W	690 W	800 W	1000 W

THREE SHELF RIGHT ANGLE





2°C - 8°C

EMBRACO

R134a

220V/50Hz




3
LAYER

MODEL	TT-MD121A	TT-MD121B	TT-MD121C	TT-MD121D
Capacity	280 L	380 L	480 L	580 L
Size(MM)	900×685×1220	1200×685×1220	1500×685×1220	1800×685×1220
Current	3.9 A	4.0 A	4.2 A	4.5 A
POWER	560 W	709 W	905 W	995 W

CAKE SHOWCASE

FOUR SHELF RIGHT ANGLE


2°C - 8°C EMBRACO R134a 220V/50Hz



MODEL	TT-MD122A	TT-MD122B	TT-MD122C	TT-MD122D
Capacity	390 L	510 L	660 L	800 L
Size(MM)	900×685×1400	1200×685×1400	1500×685×1400	1800×685×1400
Current	4.2 A	4.3 A	5.4 A	5.8 A
POWER	560 W	799 W	1115 W	1222 W

THREE SHELF DOUBLE CURVED


2°C - 8°C EMBRACO R134a 220V/50Hz



MODEL	TT-MD125A	TT-MD125B	TT-MD125C	TT-MD125D
Capacity	290 L	410 L	510 L	620 L
Size(MM)	900×685×1220	1200×685×1220	1500×685×1220	1800×685×1220
Current	3.6 A	4 A	4.5 A	5.5 A
POWER	563 W	672 W	920 W	1100 W

FIVE SHELF RIGHT ANGLE


2°C - 8°C EMBRACO R134a 220V/50Hz



MODEL	TT-MD123A	TT-MD123B	TT-MD123C	TT-MD123D
Capacity	560 L	760 L	960 L	1190 L
Size(MM)	900×685×1800	1200×685×1800	1500×685×1800	1800×685×1800
Current	4.5 A	5.3 A	6.2 A	7.6 A
POWER	960 W	1100 W	1308 W	1630 W

THREE SHELF SINGLE CURVED EUROPEAN STYLE

2°C - 8°C EMBRACO R134a 220V/50Hz



MODEL	TT-MD127A	TT-MD127B	TT-MD127C	TT-MD127D
Capacity	290 L	380 L	480 L	590 L
Size(MM)	900×728×1200	1200×728×1200	1500×728×1200	1800×728×1200
Current	3.6 A	3.9 A	4.8 A	6.5 A
POWER	636 W	700 W	1000 W	1036 W

CAKE SHOWCASE

FOUR SHELF DOUBLE CURVED





2°C - 8°C

EMBRACO

R134a

220V/50Hz



MODEL	TT-MD124A	TT-MD124B	TT-MD124C	TT-MD124D
Capacity	300 L	400 L	500 L	600 L
Size(MM)	900×685×1400	1200×685×1400	1500×685×1400	1800×685×1400
Current	3.7 A	4.3 A	4.8 A	5.6 A
POWER	660 W	779 W	1000 W	1100 W

COUNTER TOP SHOWCASE






2°C - 8°C

EMBRACO

R134a

220V/50Hz



MODEL	TT-MD96A	TT-MD96B	TT-MD96C
Capacity	90 L	120 L	150 L
Size(MM)	890×492×678	1200×492×678	1500×492×678
Current	2.5 A	3.1 A	3.5 A
POWER	440 W	553 W	597 W

FOUR SHELF DOUBLE CURVED





2°C - 8°C

EMBRACO

R134a

220V/50Hz



MODEL	TT-MD128A	TT-MD128B	TT-MD128C	TT-MD128D
Capacity	300 L	490 L	600 L	680 L
Size(MM)	900×770×1410	1200×770×1410	1500×770×1410	1800×770×1410
Current	3.7 A	4.2 A	4.6 A	5.5 A
POWER	645 W	820 W	978 W	1036 W

UPRIGHT TYPE SHOWCASE






4°C - 8°C

EMBRACO

R134a

220V/50Hz



MODEL	TT-BC122A	TT-BC122C	TT-BC124
CAPACITY	418 L	418 L	600 L
Size	648×648×1850 mm	650×650×1850 mm	925×800×1850 mm
VOLTAGE	220V50Hz / 3.2a	220V50Hz / 3.2a	220V50Hz / 3.2a
POWER	470 W	470 W	540 W
material	Painted	ALUMINUM / or s/s	Painted

CAKE SHOWCASE

CUSTOMIZED CAKE SHOWCASE AMBIENT TEMPERATURE

VOLTAGE	temp. range	COMPRESSOR
220V50HZ	18°C~22°C	ASPERA



CUSTOMIZED

MODEL	TT-MD120
CAPACITY	340 LITER
CURRENT	3.0 A
POWER	530 W
SIZE	1100x1100x910 MM

CUSTOMIZED CAKE SHOWCASE AMBIENT TEMPERATURE



100%
CUSTOMIZED

BEST SELLER HOT SHOWCASE

40°C-75°C




TABLE
TOP

BEST
SELLER

- Stainless steel 304
- Best performance
- Humidity balance

MODEL	TT-MD94A	TT-MD94B	TT-MD94C
CAPACITY	95 L	128 L	160 L
LAYER	2	2	2
Size	900×492×678 MM	1200×492×678 MM	1500×492×678 MM
POWER	1000 W	2000 W	2000 W

HOT SHOWCASE

- Stainless steel 304 exteriors & interiors
- High quality digital temperature controller
- With storage bin at the bottom
- PTC heater, safe and low consumption
- Performance temp +40 'C ~ + 75'C
- With halogen light and water tray

HOT

40°C-75°C

40°C-75°C



MODEL	TT-MD67A	TT-MD67B	TT-MD67C
CAPACITY	70 L	94 L	118 L
LAYER	2	2	2
Size	900×530×820 MM	1200×530×820 MM	1500×530×820 MM
WEIGHT	50 Kg	65 Kg	75 Kg
POWER	765 W	805 W	845 W

40°C-75°C



MODEL	TT-MD68A	TT-MD68B	TT-MD68C
CAPACITY	115 L	155 L	200 L
LAYER	2	2	2
Size	900×540×790 MM	1200×540×790 MM	1500×540×790 MM
WEIGHT	95 Kg	115 Kg	136 Kg
POWER	752 W	805 W	932 W

40°C-75°C



MODEL	TT-MD69A	TT-MD69B	TT-MD69C
CAPACITY	140 L	190 L	240 L
LAYER	2	2	2
Size	900×540×790 MM	1200×540×790 MM	1500×540×790 MM
WEIGHT	102 Kg	122 Kg	145 Kg
POWER	765 W	805 W	845 W

CAKE SHOWCASE

SUPERIOR CAKE SHOWCASE

- Air cooling, fast refrigeration
- Stainless steel 304 material
- Digital temperature controller
- 55 db low noise
- HERMETIC EMBRACO COMPRESSOR
- Automatic Defrost system

AVAILABLE BASE MATERIAL



More base color for marble



SS 304

R134a



COUNTER TOP SHOWCASE



2°C - 8°C

R134a

2 SHELF



TT-MD60ABC



3 SHELF



TT-MD61ABC



2 SHELF



TT-MD62ABC



MODEL	TT-MD60A	TT-MD60B	TT-MD60C	TT-MD61A	TT-MD61B	TT-MD61C	TT-MD62A	TT-MD62B	TT-MD62C
CAPACITY	140 L	190 L	240 L	190 L	260 L	330 L	115 L	155 L	200 L
LAYER	2	2	2	3	3	3	2	2	2
Size(MM)	900×540×790	1200×540×790	1500×540×790	900×540×940	1200×540×940	1500×540×940	900×540×940	1200×540×940	1500×540×940
POWER	415 W	562 W	598 W	527 W	673 W	716 W	95 Kg	115 Kg	136 Kg
WEIGHT	102 Kg	122 Kg	145 Kg	117 Kg	149 Kg	172 Kg	377 W	513 W	542 W

2 LAYER



TT-MD63ABC



2 LAYER



TT-MD64ABC



TABLE EMBEDDED

3 LAYER



TT-MD75ABC



MODEL	TT-MD63A	TT-MD63B	TT-MD63C	TT-MD64A	TT-MD64B	TT-MD64C	TT-MD75A	TT-MD75B	TT-MD75C
CAPACITY	70 L	94 L	118 L	70 L	94 L	118 L	319 L	407 L	501 L
SHELVES	2	2	2	2	2	2	3	3	3
Size(MM)	900×470×680	1200×470×680	1500×470×680	900×530×820	1200×530×820	1500×530×820	900×700×1300	1200×700×1300	1500×700×1300
POWER	83 Kg	90 Kg	105 Kg	90 Kg	115 Kg	120 Kg	150 Kg	173 Kg	200 Kg
WEIGHT	340 W	472 W	492 W	420 W	550 W	570 W	540 W	683 W	817 W

VERTICAL STYLE SHOWCASE

2°C - 8°C

EMBRACO

R134a



MODEL	TT-MD76A	TT-MD76B	TT-MD76C	TT-MD76D	TT-MD76E
CAPACITY	225 L	310 L	395 L	480 L	650 L
LAYER	3	3	3	3	3
Size(MM)	900×730×1200	1200×730×1200	1500×730×1200	1800×730×1200	2400×730×1200
WEIGHT	165 Kg	200 Kg	225 Kg	260 Kg	330 Kg
POWER	643 W	745 W	892 W	1075 W	1333 W

2°C - 8°C

EMBRACO

R134a



MODEL	TT-MD79A	TT-MD79B	TT-MD79C	TT-MD79D
CAPACITY	349L	400 L	600 L	650 L
LAYER	4	4	4	4
Size(MM)	900×750×1350	1200×750×1350	1500×750×1350	1800×750×1350
WEIGHT	210 Kg	250 Kg	290 Kg	330 Kg
POWER	644 W	847 W	974 W	1151 W

2°C - 8°C

EMBRACO

R134a



MODEL	TT-MD80A	TT-MD80B	TT-MD80C	TT-MD80D	TT-MD80E
CAPACITY	270L	375 L	475 L	575 L	780 L
LAYER	3	3	3	3	3
Size(MM)	900×790×1200	1200×790×1200	1500×790×1200	1800×790×1200	2400×790×1200
WEIGHT	215 Kg	255 Kg	295 Kg	335 Kg	415 Kg
POWER	621 W	723 W	870 W	1075 W	1333 W

CAKE SHOWCASE

VERTICAL STYLE SHOWCASE



2°C - 8°C EMBRACO R134a

MODEL	TT-MD81A	TT-MD81B	TT-MD81C	TT-MD81D	TT-MD81E
CAPACITY	269 L	372 L	474 L	576 L	781 L
LAYER	3	3	3	3	3
Size(MM)	900×780×1200	1200×780×1200	1500×780×1200	1800×780×1200	2400×780×1200
WEIGHT	185 Kg	225 Kg	260 Kg	300 Kg	380 Kg
POWER	583 W	712 W	848 W	909 W	1247 W



2°C - 8°C EMBRACO R134a

MODEL	TT-MD82A	TT-MD82B	TT-MD82C	TT-MD82D	TT-MD82E
CAPACITY	285L	390 L	500 L	610 L	825 L
LAYER	3	3	3	3	3
Size(MM)	900×680×1200	1200×680×1200	1500×680×1200	1800×680×1200	2400×680×1200
WEIGHT	165 Kg	200 Kg	225 Kg	260 Kg	330 Kg
POWER	643 W	745 W	892 W	1075 W	1333 W



2°C - 8°C EMBRACO R134a

MODEL	TT-MD89A	TT-MD89B	TT-MD89C
CAPACITY	302 L	417 L	532 L
LAYER	3	3	3
Size(MM)	900×720×1200	1200×720×1200	1500×720×1200
WEIGHT	185 Kg	225 Kg	260 Kg
POWER	652 W	756 W	906 W

FRONT AND BACK SLIDING DOOR STYLE SHOWCASE

2°C - 8°C EMBRACO R134a



MODEL	TT-MD86A	TT-MD86B	TT-MD86C
CAPACITY	560L	710 L	860 L
LAYER	4	4	4
Size	1200×730×1500 MM	1500×730×1500 MM	1800×730×1500 MM
POWER	943 W	987 W	1078 W
WEIGHT	280 Kg	320 Kg	360 Kg

FRONT SLIDING DOOR STYLE SHOWCASE

2°C - 8°C EMBRACO R134a



MODEL	TT-MD85A	TT-MD85B	TT-MD85C	TT-MD85D	TT-MD85E
CAPACITY	340 L	470 L	600 L	730 L	990 L
LAYER	4	4	4	4	4
Size(MM)	900×840×1370	1200×840×1370	1500×840×1370	1800×840×1370	2400×720×1370
WEIGHT	240 Kg	285 Kg	325 Kg	370 Kg	460 Kg
POWER	558 W	732 W	876 W	906 W	1020 W

HOT AND COLD (TWO IN ONE) SHOWCASE

EMB RACO



MODEL	TT-MD87A	TT-MD87B	TT-MD87C
CAPACITY	195×2 L	238×2 L	323×2 L
LAYER	3	3	3
Size	1500×730×1200 MM	1800×730×1200 MM	2400×730×1200 MM
POWER	1534 W	1655 W	1880 W
WEIGHT	240 Kg	275 Kg	345 Kg

ICE CREAM SHOWCASE

ICE CREAM SHOWCASE

refrigerant

r404a

VOLTAGE

220V 50HZ

temp. range

-24°C~-20°C

COMPRESSOR

ASPERA



MODEL	TT-SP224A	TT-SP224B
PANS	1/4x12 GN PAN OR 1/3x9 GN PAN	1/4x16 GN PAN OR 1/3x12 GN PAN
CAPACITY	150 LITER	180 LITER
CURRENT	4.0 A	4.5 A
POWER	880 W	920 w
SIZE	1200x730x1300 MM	1500x730x1300 MM

refrigerant

r404a

VOLTAGE

220V 50HZ

temp. range

-22°C~-16°C

COMPRESSOR

ASPERA



MODEL	TT-SP225A	TT-SP225B	TT-SP225B
PANS	1/4x12 GN PAN OR 1/3x9 GN PAN	1/4x16 GN PAN OR 1/3x12 GN PAN	1/4x20 GN PAN OR 1/3x15 GN PAN
CAPACITY	280 LITER	380 LITER	480 LITER
CURRENT	5.0 A	5.8 A	8.0 A
POWER	1000 W	1130 w	1590 w
SIZE	1130x1068x1250 MM	1430x1068x1250 MM	1730x1068x1250 MM

- Hermetic compressor, low noise, small power consumption.
- Automatic defrost system.
- German EBM condenser fan, durable.
- R404a refrigerant, CFC free.



-22°C~-16°C

Aspera

R404a

220V/50Hz

MODEL	TT-SP221A	TT-SP221B	TT-SP221C
PAN	1/4x12 GN Pan	1/4x16 GN Pan	1/4x20 GN Pan
Capacity	380L	480L	580L
COULOMETER	10 Kwh/24h	12 Kwh/24h	15 Kwh/24h
WEIGHT	190 Kg	210 Kg	270 Kg
Size	1200×968×1386 MM	1500×968×1386 MM	1800×968×1386 MM
POWER	990 W	1065 W	1450 W



-22°C~-16°C

ASPERA

R404a

220V/50Hz

CE

MODEL	TT-SP219A	TT-SP219B	TT-SP219C
PAN	1/3x9 GN Pan OR 1/4x12 GN Pan	1/3x12 GN Pan OR 1/4x16 GN Pan	1/3x15 GN Pan OR 1/4x20 GN Pan
Capacity	380L	480L	580L
COULOMETER	7.2 Kwh/24h	8.1 Kwh/24h	11 Kwh/24h
Size	1200×1130×1280 MM	1500×1130×1280 MM	1800×1130×1280 MM
POWER	1000 W	1137 W	1516 W

SUPERIOR BEVERAGE CABINET

2°C~10°C Ventilated
R134a 220V/50HZ

ZANUSSI
compressor



MODEL	TT-BC295A	TT-BC295B	TT-BC295C
CAPACITY	300 L	647 L	1000 L
Size	600×710×2100 mm	1200×710×2100 mm	1800×710×2100 mm
REFRIGERATION POWER	190 W	388 W	517 W
LIGHTING POWER	16 W	49 W	84 W

4°C~8°C Aspera
R134a 220V/50Hz



MODEL	TT-BC125	TT-BC126	TT-BC118	TT-BC119
CAPACITY	828 L	1250 L	860 L	1300 L
Size	1218×648×1850 mm	1790×648×1850 mm	1205×650×1900 mm	1810×650×1900 mm
WEIGHT	160 Kg	220 Kg	160 Kg	200 Kg
POWER	0. 765 Kw	1.1 Kw	0.49 Kw	0.672 Kw

WINE COOLER



Aspera
Compressor



Germany
EBMPAST
Blower


ALUMINUM
BODY



MODEL	TT-BC235
LAYERS	7
Capacity	750 L
WEIGHT	90 Kg
Size	1200×500×2400 MM
POWER	780 W

WALK-IN COLD ROOM

CUSTOMIZED SIZE



ECCENTRIC LOCKING TYPE

Every panel consists of tongue and groove construction and can be tightened by a number of eccentric fastener



USE ECCENTRIC LOCKING TYPE PU INSULATION PANEL

Polyurethane sandwiched panels are equipped with shift of focus lock and sealing gasket


POLYURETHANE PANEL



FIREPROOF
PANEL

STANDARD PANEL DIMENSION LENGTH×WIDTH

Polyurethane sandwiched panels width is a multiple of 295.3mm
Maximum panel length is 13.5 meter





DOOR TYPE



STANDARD PANEL THICKNESS

5 different thickness are available: 50mm, 75mm, 100mm, 150mm for different temperature requirement



SLUSH MACHINE

10 liter slush machine

- Electromagnetic transmission shaft
- Stainless steel 304 base panel
- Air cooling
- Can be use as a Juice Dispenser

2°C-4°C

AVAILABLE MATERIAL
S/S 304 Black



R404a



MODEL	TT-J49A	TT-J49B	TT-J49C
BOWL	1	2	3
Capacity	10 L×1	10 L×2	10 L×3
Size	280×470×690 MM	360×470×690 MM	540×470×690 MM
weight	29 Kg	41 Kg	56 Kg
VOLTAGE	220V / 50Hz	220V / 50Hz	220V / 50Hz
INPUT POWER	0.7 Kw	1.1 Kw	1.4 Kw
refrigerant	R404a	R404a	R404a

12 liter slush machine

- European Design
- Dual surface cylinder with hollow center
- Granita mode
- Cold drink mode



R404a



MODEL	TT-J171	TT-J172	TT-J173
BOWL	1	2	3
Capacity	12 L×1	12 L×2	12 L×3
Size	270×510×810 MM	470×510×810 MM	670×510×810 MM
weight	32 Kg	60 Kg	78 Kg
INPUT POWER	420 w	920 w	1180 w
refrigerant	R404a	R404a	R404a

12 liter slush machine



- Stainless steel body
- Embraco / Aspera
- Air-Cooled condenser
- independent control of each tank
- Lower noise



S/S

R404a

-1°C- -2°C



MODEL	TT-J12A	TT-J12B	TT-J12C
Capacity	12 L×1	12 L×2	12 L×3
Size	305×475×700 MM	365×475×700 MM	545×475×700 MM
weight	30 Kg	40 Kg	55 Kg
POWER	0.5 Kw	0.7 Kw	0.9 Kw

SUPERIOR JUICE DISPENSER

R134a



220/110V

- Stirring or spaying is optional
- High light stainless steel
- Hermetic compressor



Stirring



Spraying



TYPE	Cool	Cool&Hot	Cool	Cool&Hot	Cool	Cool&Hot	Cool	Cool&Hot
MODEL	TT-J121B	TT-J123B	TT-J121C	TT-J123C	TT-J121D	TT-J123D	TT-J121F	TT-J123F
Capacity	12 L × 2	12 L × 2	12 L × 3	12 L × 3	12 L × 4	12 L × 4	12 L × 6	12 L × 6
Size(mm)	270×430×625	270×430×625	400×430×625	400×430×625	525×430×625	525×430×625	780×430×625	780×430×625
cooling POWER	0.15 Kw	0.15 Kw	0.27 Kw	0.27 Kw	0.325 Kw	0.325 Kw	0.35 Kw	0.35 Kw
heating POWER	/	0.6 Kw	/	0.9 Kw	/	1.2 Kw	/	1.8 Kw
WEIGHT	22 Kg	22 Kg	30 Kg	30 Kg	35 Kg	35 Kg	50 Kg	50 Kg

JUICE DISPENSER

SUPERIOR JUICE DISPENSER



SS 304

R134a



- Food-grade high density poly carbonate bow,unbreakabel
- Stainless steel 304 evaporator, stainless steel tap lever
- Stainless steel 304 chassis and panels
- R134a refrigerant, CFC Free

Color available



PADDLE STIRRING SYSTEM 3°C - 8°C



Paddle Stirring



MODEL	TT-J50A	TT-J50B	TT-J50C
Capacity	1×12 L	2×12 L	3×12 L
Size	230×430×640 MM	430×430×640 MM	630×430×640 MM
WEIGHT	20 Kg	28 Kg	36 Kg
POWER	268 W	291 W	356 W

PUMP SPRAYING SYSTEM 3°C - 8°C



Pump Spraying



MODEL	TT-J51A	TT-J51B	TT-J51C
Capacity	1×12 L	2×12 L	3×12 L
Size	230×430×640 MM	430×430×640 MM	630×430×640 MM
WEIGHT	20 Kg	29 Kg	36 Kg
POWER	284 W	323 W	404 W

YOGURT DISPENSER

R134A



220/110V

- Stirring or spaying is optional
- High light stainless steel



Stirring



Spraying



TYPE	Cool	Cool&Hot	Cool	Cool&Hot	Cool	Cool&Hot
MODEL	TT-J181A	TT-J182A	TT-J181B	TT-J182B	TT-J181C	TT-J182C
Capacity	18 L	18 L	18 L ×2	18 L ×2	18 L ×3	18 L ×3
Size	345×445×700 mm	345×445×700 mm	460×445×700 mm	460×445×700 mm	710×445×700 mm	710×445×700 mm
cooling POWER	0.2 Kw	0.2 Kw	0.3 Kw	0.3 Kw	0.35 Kw	0.35 Kw
heating POWER	/	0.5 Kw	/	1.0 Kw	/	1.5 Kw
WEIGHT	20 Kg	20 Kg	28 Kg	28 Kg	39 Kg	39 Kg
temp.	7°C - 12°C	7°C - 12°C/52°C - 58°C	7°C - 12°C	7°C - 12°C/2°C - 58°C	7°C - 12°C	7°C - 12°C/52°C - 58°C

YOGURT DISPENSER

- R404a refrigerant
- Stirring stops when open lid
- Indicator will warn when tank is full
- high performance compressor
- Energy saving and quiet
- Food grade high density Durable PC bowl



MODEL	TT-Y1S	TT-Y2S
CAPACITY	SINGLE BOWL 6 LITER	DOUBLE BOWL 6 LITER X 2
POWER	485 w	730 w
WEIGHT	32 KG	48.5 KG
COLOR	Claret-red and Champagne Gold	WHITE
SIZE	307 x 474 X 694 MM	537 X 474 X 694 MM

REFRIGERATED CABINET

SUPERIOR REFRIGERATED CABINET



- 100% inox AISI 304 or 201
- Self-closing door
- Insulation thick 75 MM



Aspera
Compressor



- Automatic evaporation
- With hide lock
- CE approval



DIXELL
Thermostat
from Italy

VOLTAGE	COOL TYPE	REFRIGERANT	material	compressor
220 V50 HZ	Ventilated	R134a	Stainless Steel	ASPERA / SECOP

2 GATES



DIGITAL PANEL



MECHANICAL PANEL

MODEL	TT-BC365T	TT-BC366T	TT-BC365A	TT-BC366A
TEMPERATURE	+0°C~+10°C	-10°C~-22°C	+0°C~+10°C	-10°C~-22°C
CAPACITY	580 L	580 L	450 L	450 L
Size	738×818×2002 MM	738×818×2002 MM	620×760×2002 MM	620×760×2002 MM

1 DOOR



DIGITAL PANEL



MECHANICAL PANEL

MODEL	TT-BC365S	TT-BC366S	TT-BC365D	TT-BC366D
TEMPERATURE	+0°C~+10°C	-10°C~-22°C	+0°C~+10°C	-10°C~-22°C
CAPACITY	580 L	580 L	450 L	450 L
Size	738×818×2002 MM	738×818×2002 MM	620×760×2002 MM	620×760×2002 MM

4 GATES



DIGITAL PANEL



MECHANICAL PANEL

MODEL	TT-BC365V	TT-BC366V	TT-BC365B	TT-BC366B
TEMPERATURE	+0°C~+10°C	-10°C~-22°C	+0°C~+10°C	-10°C~-22°C
CAPACITY	1200 L	1200 L	950 L	950 L
Size	1425×818×2002 MM	1425×818×2002 MM	1220×760×2002 MM	1220×760×2002 MM

2 DOORS



DIGITAL PANEL



MECHANICAL PANEL


MODEL	TT-BC365U	TT-BC366U	TT-BC365E	TT-BC366E
TEMPERATURE	+0°C~+10°C	-10°C~-22°C	+0°C~+10°C	-10°C~-22°C
CAPACITY	1200 L	1200 L	950 L	950 L
Size	1425×818×2002 MM	1425×818×2002 MM	1220×760×2002 MM	1220×760×2002 MM

3 DOORS



MECHANICAL PANEL

MODEL	TT-BC365F	TT-BC366F
TEMPERATURE	+0°C~+10°C	-10°C~-22°C
CAPACITY	1500 L	1500 L
Size	1835×760×2002 MM	1835×760×2002 MM



6 GATES



MECHANICAL PANEL

MODEL	TT-BC365G	TT-BC366G
TEMPERATURE	+0°C~+10°C	-10°C~-22°C
CAPACITY	1500 L	1500 L
Size	1835×760×2002 MM	1835×760×2002 MM

GLASS DOOR REFRIGERATED CABINET



- 100% inox AISI 304 or 201
- Self-closing door
- Insulation thick 75 MM
- Automatic evaporation
- With hide lock
- CE approval

VOLTAGE	COOL TYPE	REFRIGERANT	material	compressor
220 V50 HZ	VENTILATED	R134a / r404a	Stainless Steel	EMBRACO / SECOP

1 GATE 2 GATES





DIGITAL PANEL



MECHANICAL PANEL

MODEL	TT-BC365X	TT-BC365Y	TT-BC365H	TT-BC366H	TT-BC365K
TEMPERATURE	+0°C~+10°C	+0°C~+10°C	+0°C~+10°C	-10°C~-18°C	+0°C~+10°C
gate type	1 GATE	2 GATES	1 GATE	1 GATE	2 GATES
CAPACITY	580 L	580 L	450 L	450 L	450 L
Size	738×818×2002 MM	738×818×2002 MM	620×760×2002 MM	620×760×2002 MM	620×760×2002 MM



2 GATES 4 GATES



DIGITAL PANEL



MECHANICAL PANEL



MODEL	TT-BC365Z	TT-BC365I	TT-BC365L	TT-BC366L	TT-BC365M
TEMPERATURE	+0°C~+10°C	+0°C~+10°C	+0°C~+10°C	-10°C~-18°C	+0°C~+10°C
gate type	2 GATES	4 GATES	2 GATES	2 GATES	4 GATES
CAPACITY	1200 L	1200 L	950 L	950 L	950 L
Size (MM)	1425×818×2002	1425×818×2002	1220×760×2002	1220×760×2002	1220×760×2002

3 GATES 6 GATES



MECHANICAL PANEL

MODEL	TT-BC365N	TT-BC365P
TEMPERATURE	+0°C~+10°C	+0°C~+10°C
gate type	3 GATES	6 GATES
CAPACITY	1500 L	1500 L
Size	1835×760×2002 MM	1835×760×2002 MM



REFRIGERATED TABLE

DOUBLE TEMPERATURE FREEZER / CHILLER CABINET

COOLING TYPE	COMPRESSOR	VOLTAGE
VENTILATED	Embraco / Secop	220V 50HZ



MODEL	TT-BC270A-1	TT-BC270A-2
CAPACITY	2 X 475 LITER	950 LITER + 450 LITER
TEMP.	0°C - 10°C / -10°C ~ -22°C	0°C - 10°C / -10°C ~ -22°C
SIZE	1220x760x2002 MM	1830x760x2002 MM

AMERICAN STANDARD MINI TABLE

VOLTAGE	110V	REFRIGERANT	R134a	compressor	Embraco / Secop
COOL TYPE	VENTILATED	material	AISI 201 / 304	DEFROST	AUTOMATIC DEFROSTING




NEW MODEL



	FREEZER -22°C	FREEZER -22°C	CHILLER 0°C	CHILLER 0°C
model	TT-BC364R-1	TT-BC364R-2	TT-BC365R-1	TT-BC365R-2
CAPACITY	277 L / 9.8 FT³	379 L / 13.4 FT³	277 L / 9.8 FT³	379 L / 13.4 FT³
Size	923x760x886 mm	1228x760x886 mm	923x760x886 mm	1228x760x886 mm
WEIGHT	87 Kg	120 Kg	87 Kg	120 Kg
POWER	0.25 Kw	0.355 Kw	0.25 Kw	0.355 Kw

GLASS REFRIGERATED TABLE

VOLTAGE	220V	REFRIGERANT	R134a	compressor	EMBRACO / SECOP
COOL TYPE	Ventilated	material	AISI 201 / 304	DEFROST	AUTOMATIC DEFROSTING



MODEL	TT-BC290	TT-BC291	TT-BC292
CAPACITY	288 L	445 L	602 L
Size	1360x700x850 mm	1798x700x850 mm	2240x700x850 mm

AMERICAN STANDARD MINI PIZZA PREP TABLE

VOLTAGE	220V	REFRIGERANT	R134a	compressor	EMBRACO / SECOP
COOL TYPE	VENTILATED	material	AISI 201 / 304	DEFROST	AUTOMATIC DEFROSTING



NEW MODEL

0 °C / 32 °F



model	TT-BC365Q-1	TT-BC365Q-2
CAPACITY	277 L / 9.8 FT³	379 L / 13.4 FT³
Size	923x760x1066 mm	1228x760x1066 mm
WEIGHT	130 Kg	172 Kg
POWER	0.3 Kw	0.3 Kw

REFRIGERATED TABLE

1900 MM FREEZER / CHILLER COUNTER

COOLING TYPE	CAPACITY	COMPRESSOR	VOLTAGE	SIZE	ambient temp.
VENTILATED	498 LITER	Embraco / Secop	220V 50HZ	1900X700X850 MM	38°C


- AUTO DEFROSTING
- AUTO DOOR-CLOSE
- INTEGRAL COUNTERTOP
- COMPEX GUIDE

FREEZER TT-BC273B-2

-10°C ~ -18°C | R404A

CHILLER TT-BC272B-2

10°C - 0°C | R134A




FREEZER TT-BC273B-4

-10°C ~ -18°C | R404A


CHILLER TT-BC272B-4

10°C - 0°C | R134A



CHILLER TT-BC272B-9

10°C - 0°C | R134A




FREEZER TT-BC273B-1

-10°C ~ -18°C | R404A


CHILLER TT-BC272B-1

10°C - 0°C | R134A




CHILLER TT-BC272B-3

10°C - 0°C | R134A




CHILLER TT-BC272B-7

10°C - 0°C | R134A



CHILLER TT-BC272B-6

10°C - 0°C | R134A



1500 MM FREEZER / CHILLER COUNTER

COOLING TYPE	CAPACITY	COMPRESSOR	VOLTAGE	SIZE	ambient temp.
VENTILATED	322 LITER	Embraco / Secop	220V 50HZ	1500X700X850 MM	38°C


- AUTO DEFROSTING
- AUTO DOOR-CLOSE
- INTEGRAL COUNTERTOP
- COMPEX GUIDE

FREEZER TT-BC273A-1

-10°C ~ -18°C | R404A

CHILLER TT-BC272A-1

10°C - 0°C | R134A




FREEZER TT-BC273A-2

-10°C ~ -18°C | R404A

CHILLER TT-BC272A-2

10°C - 0°C | R134A




FREEZER TT-BC273A-4

-10°C ~ -18°C | R404A


CHILLER TT-BC272A-4

10°C - 0°C | R134A




CHILLER TT-BC272A-3

10°C - 0°C | R134A



CHILLER TT-BC272A-6

10°C - 0°C | R134A



REFRIGERATED SALAD PREP TABLE

SUPERIOR SALAD PREP TABLE



2°C~8°C

ZANUSSI

ZANUSSI
compressor

dixell

DIXELL Thermostat
from Italy

Honeywell

Honeywell Refrigerant
from US

SUPERIOR STAINLESS STEEL FACE SALAD TABLE

- 100% inox AISI 304
- Self-closing door
- Automatic evaporation
- Refrigerant R134a
- Insulation thick 70mm



One GN 1/1 shelf
for each door




One GN 1/1 shelf
for each door



One 600*400 shelf
for each door



One 600*400 shelf
for each door



model	TT-BC285A	TT-BC285B	TT-BC285C	TT-BC285D
shelf inside	GN 1/1	GN 1/1	600*400 shelf	600*400 shelf
CAPACITY	260 L	360 L	400 L	580 L
Size	1360*700*1050 mm	1795*700*1050 mm	1510*800*1050 mm	2025*800*1050 mm
WEIGHT	101 Kg	122 Kg	112 Kg	140 Kg

SUPERIOR MARBLE FACE SALAD TABLE



2°C~8°C



One GN 1/1 shelf
for each door




One 600*400 shelf
for each door



One 600*400 shelf
for each door
With drawers



One 600*400 shelf
for each door



model	TT-BC288A	TT-BC288B	TT-BC288C	TT-BC288D
CAPACITY	390 L	168 L	390 L	390 L
Size	1365*700*1270 mm	1510*800*1415 mm	2045*800*1415 mm	2045*800*1415 mm
WEIGHT	116 Kg	194 Kg	300 Kg	280 Kg

ZANUSSI

ZANUSSI
compressor


dixell

DIXELL Thermostat
from Italy

Honeywell

Honeywell Refrigerant
from US

SUPERIOR UNDER MOUNTED SALAD TABLE



MODEL	TT-BC280A	TT-BC280E-2	TT-BC280E-1
CAPACITY	250 L	390 L	250 L
Size	900*700*850 MM	1365*700*850 MM	1045*700*850 MM
WEIGHT	78 Kg	87 Kg	69 Kg




MODEL	TT-BC280C	TT-BC280D-1	TT-BC280D-2
CAPACITY	250 L	250 L	390 L
Size	900*700*1010 MM	900*700*990 MM	1365*700*990 MM
WEIGHT	91 Kg	67 Kg	103 Kg

SUPERIOR TABLETOP SALAD BAR


STATIC
COOLING




GLASS cover
For GN 1/4 pan
265*162*150




TT-MD333A
5xGN 1/4




TT-MD333B
6xGN 1/4




TT-MD333C
7xGN 1/4



TT-MD333D
8xGN 1/4



TT-MD333E
9xGN 1/4




TT-MD333F
10xGN 1/4


GN 1/4




S/S cover
For GN 1/3 pan
325*176*150




TT-MD333A-2
5xGN 1/3




TT-MD333B-2
6xGN 1/3




TT-MD333C-2
6xGN 1/3



TT-MD333D-2
7xGN 1/3



TT-MD333E-2
8xGN 1/3



TT-MD333F-2
9xGN 1/3

176

325

GN 1/3

GN 1/3

BLAST
CHILLER

- DOOR IS EASY TO INSTALL AND UNINSTALL
- EASY TO OPERATE AND CLEAN
- **3 COOLING PHASE** TO KEEP FOOD FRESH
- **EUROPEAN COMPRESSOR**
- **SMART TEMPERATURE CONTROL** SYSTEM

refrigerant	material	temp. range	insulation thick	TRAY SIZE
r404a	s/s 304	0 - (-40°c)	60 mm	400 X 600 MM



MODEL	TT-BF3	TT-BF5	TT-BF8	TT-BF11	TT-BF13
TRAYS	3 TRAYS	5 TRAYS	8 TRAYS	11 TRAYS	13 TRAYS
INPUT POWER	587 WATT	1400 WATT	2100 WATT	3500 WATT	5250 WATT
voltage	220v	220v	220v	220v	380v
SIZE	710*700*560 MM	790*700*920 MM	790*800*1320 MM	790*800*1680 MM	790*800*1950 MM
WEIGHT	57 KG	109 KG	142 KG	170 KG	200 KG
CHILLING IN 90 MIN	8 KG FOOD	18 KG	25 KG	36 KG	55 KG
FREEZING IN 240 MIN	5 KG FOOD	12 KG	16 KG	24 KG	36 KG

WALL TYPE DISPLAY



COMPRESSOR	REFRIGERANT	COOLING WAY	VOLTAGE
ASPERA	R404A	Ventilated	220V

- All round cooling circulation
- Microcomputer temperature control
- Automatic defrosting system
- Polyurethane foam insulation body
- Luxurious appearance



TT-SP290



TT-SP297

MODEL	TT-SP290A	TT-SP290B	TT-SP290C	TT-SP290D	TT-SP297A	TT-SP297B
CAPACITY	441 L	635 L	870 L	1122 L	568 L	716 L
system	self contained cooling system				self contained system	
Size(MM)	1200*800*1980	1500*950*1980	2000*950*1980	2500*950*1980	2000*980*1680	2500*980*1680
POWER	1370 w	1756 w	1700 w	2600 w	1700 w	2460 w
LIGHT POWER	126 w	168 w	196 w	252 w	126 w	210 w

CURTAIN DISPLAY



- ASPERA compressor
- Germany EBMPAST blower
- Automatic defrosting system

COMPRESSOR	REFRIGERANT	COOLING WAY
Aspera	R134A	Ventilated



MODEL	TT-SP222
CONSUMPT	8 Kw/h
Size	1000*700*1960 mm
WEIGHT	230 Kg
LIGHT POWER	0.24 Kw
CAPACITY	480 L
POWER	1.2 Kw

SUPERMARKET DISPLAY

CUSTOMIZED ISLAND SHOWCASE

refrigerant r404a	VOLTAGE 220V 50HZ	temp. range -22°C~-18°C	COMPRESSOR Tecumseh
----------------------	----------------------	----------------------------	------------------------



MODEL	TT-SP285	TT-SP286
CAPACITY	527 LITER / SINGLE UNIT	276 LITER / SINGLE UNIT
POWER	1960 W / SINGLE UNIT	3129 W / SINGLE UNIT
COOLING TYPE	STATIC COOLING	Ventilated
SIZE	1850x920x1025 MM / SINGLE UNIT	1850x920x1060 MM / SINGLE UNIT

COOLING DISH SHOWCASE



COMPRESSOR Tecumseh	REFRIGERANT R134A	VOLTAGE 220V
------------------------	----------------------	-----------------

- Microcomputer temperature control
- Automatic defrosting system
- Polyurethane foam insulation body
- Curved glass design



TT-SP294A/B




TT-SP294C/D

MODEL	TT-SP294A	TT-SP294B	TT-SP294C	TT-SP294D
CAPACITY	151 L	192 L	151 L	192 L
Size	2000×1180×1280 MM	2500×1180×1280 MM	2000×1180×1280 MM	2500×1180×1280 MM
POWER	740 W	858 w	740 w	858 w
LIGHT POWER	28 w	42 w	28 w	42 w

SUSHI SHOWCASE



COMPRESSOR ASPERA	REFRIGERANT R134A	VOLTAGE 220V
----------------------	----------------------	-----------------



MODEL	TT-SG12	TT-SG15	TT-SG18
CAPACITY	20 L	40 L	60 L
Size	1200x295x312 MM	1500x295x312 MM	1800x295x312 MM
POWER	221 w	270 w	283 w

FRESH MEAT REFRIGERATED DISPLAY



- Keeps the meat and seafood for a long time

COMPRESSOR ASPERA	REFRIGERANT R404A	VOLTAGE 220V
----------------------	----------------------	-----------------



MODEL	TT-SP293A	TT-SP293B
CAPACITY	160 L	201 L
Size	2000×1180×900 MM	2500×1180×900 MM
LIGHTING POWER	42 w	56 w
cooling way	Ventilated	Ventilated
MATERIAL	painting, inside s/s	painting, inside s/s
REFRIGERATION POWER	760 w	920 w

BEST SELLING ICE CREAM MACHINE

CE

COMPRESSOR	REFRIGERANT	MATERIAL	VOLTAGE
TECUMSEH	R134A	AISI 201	220V



Digital Control Panel

- With kneading process to create a fine ice cream
- Excellent creaminess even with low-fat ice cream
- To reduce raw material costs



OPTIONAL FUNCTIONS			*EXTRA PAY REQUIRED
Air Pump	Cone Dispenser	Alarm	
Pre-Cooling	Rainbow Outlet	Quantity Counter	
S/S 304 Body	Canopy	S/S Throat Holder	



MODEL	TT-I94C (TABLE TOP)	TT-I94C	TT-I94D
CAPACITY	16-18 Kg/h	22-25 Kg/h	18-20 Kg/h
Size	750×546×870 mm	750×546×1328 mm	750×546×1328 mm
WEIGHT	120 Kg	140 Kg	135 Kg
POWER	1.7 Kw	2.2 Kw	1.8 Kw


ECONOMIC ICE CREAM MACHINE

COMPRESSOR	REFRIGERANT	MATERIAL	VOLTAGE
TECUMSEH	R134A	AISI 201	220V



MODEL	TT-I97B	TT-194A
CAPACITY	22-25 Kg/h	33-38 Kg/h
VOLTAGE	220V / 50Hz	380V / 50Hz
Size	750×546×1328 mm	785×670×1425
WEIGHT	140 Kg	200 Kg
POWER	2.2 Kw	4.2 Kw

SINGLE FLAVOR ICE CREAM MACHINE



MODEL	TT-I97A	
OUTPUT	12 LITER / HOUR	
CAPACITY	1.0 LITER X 1 FOR FREEZING BOWL	4.0 LITER X 1 FOR TANK
POWER	1.4 KW	
VOLTAGE	220V 50HZ	
WEIGHT	60 KG	
SIZE	684X202X778 MM	

ICE CREAM MACHINE

HARD ICE CREAM MACHINE

SUPERIOR ICE CREAM MACHINE

- 
- With pre-cooling function
- With counter

MAIN REFRIGERANT

R404a

pre-cooling REFRIGERANT

R134A

VOLTAGE

220V / 50Hz

MATERIAL


AISI 304

COMPRESSOR


ASPERA



TT-I190A



Beater S/S
Distribute valve



Air Pump
Beater



TT-I191A / TT-I191B



Air Pump (TT-I191B)
Beater (TT-I191B)



Expanded Tube (TT-I191A)
Beater (TT-I191A)

MODEL	TT-I190A	TT-I191A	TT-I191B
FEEDING TYPE	Gravity Feed	Gravity Feed	Air Pump
output (4 °C liquid & 24 °C ambient)	18 Liter / hour	25 Liter / hour	25 Liter / hour
FREEZING BOWL	1.8 Lx1	1.8 Lx2	1.8 Lx2
MATERIAL BOWL	11 Lx1	12.5 Lx2	12.5 Lx2
Size	725×440×770 mm	654×554×1065 mm	654×554×1065 mm
NET WEIGHT	105 Kg	160 Kg	170 Kg
POWER	1.8 Kw	2.4 Kw	2.4 Kw



TT-I192A/B




Expanded Tube (TT-I192A / TT-I193A)
Beater



Air Pump (TT-I192B / TT-I193B)
Beater



TT-I193A/B



TWIN
COMPRESSOR

MODEL	TT-I192A	TT-I192B	TT-I193A	TT-I193B
FEEDING TYPE	Gravity Feed	Air Pump	Gravity Feed	Air Pump
output (4 °C liquid & 24 °C ambient)	40 Liter / hour	40 Liter / hour	48 Liter / hour	48 Liter / hour
FREEZING BOWL	1.8 Lx2	1.8 Lx2	1.8 Lx2	1.8 Lx2
MATERIAL BOWL	12.5 Lx2	12.5 Lx2	12.5 Lx2	12.5 Lx2
Size	654×554×1520 mm	654×554×1520 mm	654×554×1520 mm	654×554×1520 mm
NET WEIGHT	175 Kg	185 Kg	215 Kg	225 Kg
POWER	2.6 Kw	2.6 Kw	3.4 Kw	3.4 Kw

045

BRAND NEW ICE CREAM MACHINE



With pre-cooling function

With counter

MAIN REFRIGERANT

R404a

pre-cooling REFRIGERANT

R134A

VOLTAGE

220V / 50Hz

MATERIAL

AISI 304

COMPRESSOR

ASPERA



TT-I198A



Expanded tube



TT-I198B



Air pump



TT-I197A



Expanded tube



TT-I197B



Air pump

MODEL	TT-I198A	TT-I198B	TT-I197A	TT-I197B
FEEDING TYPE	Gravity Feed	AIR PUMP FEED	Gravity Feed	AIR PUMP FEED
output (4 °C liquid & 24 °C ambient)	38 LITER / HOUR	38 LITER / HOUR	80 Liter / hour	80 Liter / hour
FREEZING BOWL	3.2 LITER	3.2 LITER	3.2 LITER X 2	3.2 LITER X 2
MATERIAL BOWL	15 LITER X 1	15 LITER X 1	15 LITER X 2	15 LITER X 2
Size	704X404X1065 MM	704X404X1065 MM	970X600X1556 MM	970X600X1556 MM
NET WEIGHT	125 KG	135 KG	260 KG	260 KG
POWER	3.4 KW	3.4 KW	5.0 KW	5.0 KW

HARD ICE CREAM MACHINE

Equipped with completely sealed compressor

Stainless steel construction

Fast cooling evaporator.

Low noise and vibration.


MODEL	TT-I98A	TT-I98B
CAPACITY	14-18 Kg/h	6-8 Kg/h
Size	540×740×1180 mm	630×435×650 mm
WEIGHT	125 Kg	51 Kg
VOLTAGE	220V / 50Hz	220V / 50Hz
POWER	1.1 Kw	0.58 Kw
REFRIGERANT	R404a	R404a
COMPRESSOR	Tecumseh	Aspera

046

ICE CREAM CONE MAKER




Four kinds of mold shape is available to choose:



VOLTAGE 220V | BAKING TIME 1-2 Min | OPERATION TYPE Manual

MODEL	CAPACITY	OUTPUT	OVERALL Size	WEIGHT	POWER	AVAILABLE MOLD TYPE
TT-ET1	25-30 Pic/h	1 Pic/time	320×280×160 mm	20 Kg	1.2 Kw	N / A
TT-ET2A/B	50-60 Pic/h	2 Pic/time	450×350×700 mm	45 Kg	1.8 Kw	TT-ET2A TT-ET2B
TT-ET4A/B	100-120 Pic/h	4 Pic/time	430×430×650 mm	80 Kg	3.6 Kw	TT-ET4A TT-ET4B
TT-ET10A/B/C	250-300 Pic/h	10 Pic/time	760×600×1050 mm	200 Kg	5 Kw	TT-ET10A TT-ET10B TT-ET10C
TT-ET12B	300-350 Pic/h	12 Pic/time	800×700×880 mm	180 Kg	9 Kw	
TT-ET24B	600-800 Pic/h	24 Pic/time	1050×800×900 mm	280 Kg	12 Kw	
TT-ET24A	600-800 Pic/h	24 Pic/time	730×800×1370 mm	350 Kg	12 Kw	
TT-ET32B	800-1000 Pic/h	32 Pic/time	1200×800×900 mm	320 Kg	15 Kw	
TT-ET32A	800-1000 Pic/h	32 Pic/time	880×880×1380 mm	450 Kg	15 Kw	
TT-ET40	1200-1400 Pic/h	40 Pic/time	800×700×880 mm	250 Kg	12 Kw	

ECONOMIC ICE MAKER



- Freestanding, portable design
- High-efficiency compressor
- Electronic control, display to simple operation
- Material 201 stainless steel
- ICE Cube Size: 23×23×23 MM



	VOLTAGE 220V/50Hz	ICE SHAPE CUBE	COOLING WAY VENTILATED	REFRIGERANT R134a		
MODEL	TT-I75A	TT-I74A	TT-I74B	TT-I74C	TT-I74D (R404a)	TT-I74E (R404a)
Size	415×460×750 mm	505×504×800 mm	502×560×880 mm	705×610×1000 mm	822×615×1050 mm	822×615×1050 mm
PRODUCTION	20 Kg/day	25 Kg/day	45 Kg/day	60 Kg/day	90 Kg/day	120 Kg/day
STORAGE	8 Kg	10 Kg	20 Kg	35 Kg	45 Kg	45 Kg
ICE QTY	32	40	55	90	108	126
POWER	0.2 KW	0.29 KW	0.35 KW	0.48 KW	0.65 KW	0.70 KW
COMPRESSOR	konor	konor	konor	konor	konor	Aspera



	VOLTAGE 220V/50HZ	ICE SHAPE CUBE	COOLING WAY VENTILATED	REFRIGERANT R404a		
MODEL	TT-I74F	TT-I74G	TT-I74H	TT-I74I	TT-I74J	TT-I74K (380V)
PRODUCTION	150 Kg/Day	250 Kg/Day	350 Kg/Day	400 Kg/Day	500 Kg/Day	700 Kg/Day
STORAGE	250 Kg	250 Kg	250 Kg	250 Kg	250 Kg	350 Kg
ICE QTY	180	260	300	380	399	646
POWER	0.76 Kw	1.08 Kw	1.285 Kw	1.4 Kw	1.55 Kw	2.3 Kw
Size(mm)	750×880×1250	750×880×1370	750×880×1420	750×880×1450	854×950×1475	1340×950×1500
COMPRESSOR	ASPERA	ASPERA	Copeland	Copeland	Copeland	Copeland

ICE MAKER

SUPERIOR ICE MAKER

CUBE ICE MAKER

ICE SHAPE
Cube

MATERIAL
304 S/S

COMPRESSOR
ASPERA



Cube Ice



TT-I211 TT-I212



TT-I213 TT-I214



TT-I216 / 217 / 218 / 219

MODEL	DAILY PRODUCT	ICE STORAGE CAPACITY	Size of ice (MM)	Size (mm)	COLLING WAY	VOLTAGE	POWER
TT-I211	22 Kg	9 Kg	22×22×22	460×460×640	Air	110V / 220V	420 w
TT-I212	50 Kg	22 Kg	22×22×22	530×600×770	Air	110V / 220V	525 w
TT-I213	90 Kg	40 Kg	22×22×22	610×650×910	Air	110V / 220V	620 w
TT-I214	135 Kg	60 Kg	22×22×22	610×650×1100	Air	110V / 220V	730 w
TT-I216	220 Kg	180 Kg	22×22×22	760×850×1580	Air / Water	110V / 220V	850 w
TT-I217	300 Kg	180 Kg	22×22×22	760×850×1580	Air / Water	110V / 220V	1300 w
TT-I218	380 Kg	272 Kg	22×22×22	760×850×1780	Air / Water	220V	1450 w
TT-I219	480 Kg	272 Kg	22×22×22	760×850×1780	Air / Water	220V	1650 w

BROKEN ICE MAKER

ICE SHAPE
Broken ICE

COLLING WAY
AIR COOLING

MATERIAL
All S/S



Broken Ice



MODEL	DAILY PRODUCT	Size of ice	ICE STORAGE CAPACITY	Size(mm)	VOLTAGE	POWER
TT-I230	110 Kg	N/A	26 Kg	530×700×830	220V	660 w
TT-I231	180 Kg	N/A	130 Kg	530×700×830	220V	820 w

LUNA ICE MAKER

ICE SHAPE
Luna ICE

Size of ice
13×30×37 mm

VOLTAGE
220V

MATERIAL
All S/S



Luna Ice



MODEL	DAILY PRODUCT	ICE STORAGE CAPACITY	Size(mm)	COLLING WAY	POWER
TT-I225	100 Kg	60 Kg	610×650×1100	Air	730 w
TT-I226	300 Kg	180 Kg	760×850×1705	Air / Water	1320 w

SCALE ICE MAKER

ICE SHAPE
Scale ICE

COLLING WAY
Water

MATERIAL
All S/S



Scale Ice



MODEL	DAILY PRODUCT	ICE STORAGE CAPACITY	Size(mm)	VOLTAGE	POWER
TT-I223	380 Kg	180 Kg	760×850×1780	220V	1300 w
TT-I224	800 Kg	453 Kg	1220×850×1950	220V	3080 w



SERVE SINCE 2000
TWOTHOUSAND
WHOLESALE SECURE COMMERCIAL KITCHEN EQUIPMENT FROM CHINA